

## Customer Process Specification Index

Updated : 04/29/2019

Specifications	Revision/ Edition	Title / Description	QPL & PSD
<b>Boeing/Spirit Process Specification Index</b>			
BAC5013	Y	Cleaning metals	
BAC5019	U	Chromic acid anodizing	6-135, 6-143, 6-145, 6-155, 6-158, 6-162, 6-163, 6-166, 6-167, 6-169, 9-2
BAC5021	Y	Cadmium plating	
BAC5022	J	Sulfuric acid anodic films	6-19, 9-1
BAC5408	M	Vapor Degreasing	6-39, 6-46, 6-51, 6-54, 6-56, 6-57, 6-58, 6-61, 6-62, 6-63, 6-67, 6-69, 6-70, 6-71, 6-72, 6-74, 6-75, 6-76, 8-10, 8-12, 8-13, 8-14, 8-19, 9-10, 9-11, 9-4, 9-8
BAC5423	W	Penetrant methods of inspection	6-155, 6-156, 6-158, 6-159, 8-14, 8-16, 9-21, 9-25,
BAC5424	U	Magnetic Particle Inspection	6-40, 8-22, 9-12,
BAC5439	J	Ultrasonic inspection (Superseded by BSS7055)	6-22,
BAC5602	AF	Heat Treatment of Aluminum Alloys	6-145, 6-174, 6-182, 6-183, 6-184, 6-193, 6-195, 6-200, 6-201, 6-202, 6-203, 6-204, 6-205, 6-206, 6-40, 9-3
BAC5613	T	Heat Treatment of Titanium and Titanium Alloys	QPL REV. G, 6-29, 6-39, 6-44, 6-46, 6-48, 6-49, 6-53, 6-55, 6-56, 8-3, 8-5, 8-6, 9-26
BAC5616	J	Heat treatment of nickel-base and cobalt-base alloys	6-24, 6-25, 6-26, 6-31
BAC5617	V	Heat treatment of alloy steels	DCNPSO-003322 01, 6-91, 8-19, 8-21, 8-22, 8-23, 9-12, 9-13, 9-14
BAC5619	J	Heat treatment of corrosion resistant steel	DCNPSO-005486-01, 8-12, 8-9, 9-15, 9-16, 9-17, 9-18
BAC5620	B	Induction heat treatment of aircraft steels	QPL REV H, 6-1
BAC5625	E	Surface treatments for ferrous alloys	6-40, 6-60, 6-61, 6-62, 6-65, 6-66, 6-67, 6-68
BAC5626	C	Colored chemical conversion coatings for aluminum	9-27, 9-28, 9-31
BAC5629	E	Application of urethane exterior coatings	
BAC5632	D	Boric acid-sulfuric acid anodizing	6-31, 6-39, 6-43, 6-50, 6-55, 6-60, 6-62, 6-63, 6-64, 6-67, 6-68, 6-69, 6-71, 6-72, 6-73, 6-74, 6-75, 6-76, 6-77, 6-78, 6-79, 6-80, 6-81, 6-82, 6-83, 9-10, 9-8
BAC5637	F	Zinc-nickel alloy plating	DCNPSO-001373_01 Rev 01, 6-16, 6-17
BAC5650	E	Hardness testing	6-4, 6-5, 6-8, 8-2
BAC5651	D	Eddy Current Electrical Conductivity Inspection	
BAC5664	ORG	Low hydrogen embrittlement stylus zinc-nickel alloy plating	6-1
BAC5665	D	Application of sol-gel conversion coatings on corrosion resistant alloys	DCNPSO-004808_01 Rev 01 , 6-7
BAC5701	N	Cadmium plating	6-51, 6-54, 6-55, 6-57, 6-58, 6-60, 6-61, 6-62, 6-63, 6-64, 6-65, 6-66, 8-19, 8-20, 8-22, 8-23, 9-10
BAC5709	W	Hard chromium plating	QPL REV. ORG, 6-57, 6-66, 6-67, 6-72, 8-10, 8-8, 8-9
BAC5714	J	Electroplating of aluminum alloys	
BAC5716	G	Preparation of colored anodic films	
BAC5718	J	Low hydrogen embrittlement cadmium plating	QPL REV. A, 6-27, 6-28
BAC5719	AA	Chemical conversion coatings for aluminum and aluminum alloys	6-111, 6-131, 6-136, 6-137, 6-138, 6-142, 6-143, 6-144, 6-145, 6-147, 6-148, 6-149, 6-150, 6-152, 6-153, 6-154, 6-155, 6-156, 6-157, 6-82, 6-96, 8-1, 9-12, 9-13, 9-4, 9-6, 9-8
BAC5728	L	Electroless nickel plating	6-15, 8-1, 8-3
BAC5730	R	Shot peening	6-104, 6-105, 6-108, 6-109, 6-110, 6-111, 8-17, 8-18, 8-19, 9-4, 9-6, 9-8
BAC5736	Y	Application of Chemical and Solvent Resistant Finishes	DCNPSO-004149_01 REV 01, 6-194, 6-196, 6-198, 6-199, 6-201, 6-206, 9-26, 9-27, 9-28
BAC5746	M	Nickel plating (electrodeposited)	QPL REV. A, 6-42, 6-43, 6-44, 6-46
BAC5749	W	Alkaline cleaning	6-102, 6-111, 6-118, 6-119, 6-129, 6-133, 6-146, 6-152, 6-157, 6-158, 6-161, 6-163, 6-164, 6-165, 6-166, 6-167, 6-168, 6-169, 6-170, 6-172, 6-173, 6-174, 6-175, 6-176, 6-177, 6-79, 6-91, 8-15, 8-16
BAC5750	R	Solvent cleaning	6-106, 6-109, 6-110, 6-111, 6-113, 6-114, 6-115, 6-64, 9-38, 9-40, 9-41
BAC5751	M	Cleaning, descaling and surface preparation of ferrous alloys	6-69, 8-14, 9-22
BAC5753	W	Cleaning, descaling and surface preparation of titanium alloys	6-101, 6-116, 6-138, 6-145, 6-153, 6-156, 6-164, 6-165, 6-168, 6-171, 6-172, 6-173, 6-174, 6-176, 6-177, 6-178, 6-88, 6-97, 8-10, 8-8, , 8-9, 9-40, 9-43, 9-52, 9-6, 9-60, 9-62, 9-66, 9-67, 6-68, 9-69, 9-70, 9-71, 9-72
BAC5786	N	Etch cleaning of aluminum alloys	DCNPSO-005981_01 REV 01, 6-61, 6-64, 6-68, 9-5, 9-6
BAC5793	W	Application of corrosion resistant finish for integral fuel tanks	DCNPSO-004512-01 REV 01, 6-106, 6-107, 6-108, 6-109, 6-110, 6-113, 6-115, 6-117, 6-118, 9-25
BAC5804	AC	LOW HYDROGEN EMBRITTLEMENT CADMIUM-TITANIUM ALLOY PLATING	QPL REV. U, 6-100, 6-102, 6-103, 6-105, 6-106, 6-109, 6-110, 6-111, 8-2, 9-8, 9-9
BAC5811	U	Application of bonded solid film lubricants	QPL REV. AE, 6-27, 6-34, 6-36, 6-37, 6-38, 6-39, 6-40, 6-41
BAC5821	E	Hard anodizing	6-10, 6-4, 6-5, 6-8
BAC5833	A	Cleaning beryllium	
BAC5845	T	Application of Polyurethane Enamel	DCNPSO-006486-01 REV 01, 6-64, 6-73, 6-74, 6-75, 6-76, 9-14, 9-16
BAC5851	H	Application of thermal spray coatings	QPL REV. K
BAC5882	M	Application of Urethane compatible primer	DCNPSO-006848-01 REV 01, 6-21, 9-2, 9-3, 9-8
BAC5946	AA	Temper inspection of aluminum alloys	6-57, 6-59, 6-60, 8-4
BMS10-11	AC	Chemical and solvent resistant finish	QPL REV.A
BMS10-60	Y	Protective enamel	QPL REV. A, DCNPSO-005600-01 REV 01
BSS7039	C	Liquid Penetrant Inspection	6-10, 6-4, 6-6, 6-9, 8-2, 8-3, 8-4
BSS7351	F	Eddy Current Electrical Conductivity - Direct Reading Method	DCNPSO-001505_01, REV. 01
PS21202	AU	PENETRANT INSPECTION	DCNPSO-000650_01, F-4 REV 2
PS20722	B	HOLE MASKING FOR ENHANCED PROCESS CONTROLLED METALLIC PARTS	APTS T-X REV -,CAV REV-, APTS T-X REV 01, F15 REV -, JTV RVE -, XSP PHANTOM EXPRESS REV -, PS20722QPL REV -
PS13204	AM	CONVERSION COATING, BRUSH AND SPRAY	
PS13201	AN	ANODIZING, ALUMINUM ALLOYS	DCNPSO-001764_01 REV 01
PS13646	AM	PAINTING OF F-15 AIRCRAFT	DCNPSO-004935_01 REV 01, F-15 JAPAN REV 1
PS13209	W	COATING, MULTICOLORED CHEMICAL CONVERSION OF ALUMINUM ALLOYS BY THE I	PB3-890 REV -
PS17169	AP	BONDING AND GROUNDING; ELECTRICAL	DCNPSO-007894_01 REV 01, QF-16 REV -

UNCONTROLLED WHEN PRINTED

Customer Process Specification Index

Specifications	Revision/ Edition	Title / Description	QPL & PSD
PS13144	K	PLATING, LOW EMBRITTLEMENT CADMIUM, ELECTRO (HIGH STRENGTH STEELS)	DCNPSO-006323_01 REV 01, Goodrich-Krosno REV 1, Permanent Deviation 1 Cotec Corp.
PS18021	AD	LUBRICANTS, BONDED DRY FILM, APPLICATION OF	
<b>Above reference list is Base Specifications, please ensure the latest PSDs are applicable.</b>			
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			
<b>Triumph Aerostructures (30P) Process Specification Index</b>			
PS211700	R	Cleaning and descaling of titanium and titanium alloys	
PS231120	W2	Chromic acid anodizing	
PS243701	F	Application of high gloss, high solid polyurethane coating	
PS243900	M	Application of fluid resistant epoxy primer	
PS810100	M	Liquid penetrant inspection	
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			
<b>Bombardier/Learjet Process Specification Index</b>			
LES1002	L	Brazing, process specification for silver and copper	
LES1004	AT	Penetant inspection - process specification	
LES1006	P	Magnetic particle inspection	
LES1016	Y	Heat treatment of steel, nickel alloys & cobalt alloys	
LES1043	AU001	Chemical cleaning of metals	
LES1045	K	Chromic acid anodizing of aluminum alloys	
LES1047	AK	Chemical Film Treatment of Aluminum and Aluminum Alloys	
LES1048	AG	Cadmium plating specification - steel and copper alloys	
LES1049	F	Chromium plating	
LES1052	AE002	Organic Resin Finishing	
LES1091	AS	Application of epoxy primer	
LES1480	NC	Electroless nickel plating	
BAPS 138-043	F	APPLICATION OF FLUID RESISTANT PRIMER	
BAPS 138-044	D	APPLICATION OF FLUID RESISTANT (FR) ENAMELS AND DECORATIVE TOPCOATS	
BAPS 160-010	D	CHROMIC ACID ANODIZING	
BAPS 168-030	B	HEAT TREATMENT OF CORROSION RESISTANT AND MARAGING STEELS	
BAPS 176-002	D	Fluorescent penetrant inspection	
BAPS 176-004	A	Magnetic particle inspection	
BAPS 180-015	B	PASSIVATION OF CORROSION RESISTANT STEEL	
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			
<b>Triumph / Gulfstream (60P) Process Specification Index</b>			
GAMPS3102	L	Integral fuel tank coating	
GAMPS3116	F	Primer, epoxy, waterborne, preparation and application	
GAMPS3216	C	Epoxy topcoat, high solids, phosphate ester fluid resistant, prep & application	
GAMPS4103	D	Acid cleaning & passivation of ferrous and nickel base parts	
GAMPS5102	C	Heat treat of wrought precipitation hardenable stainless steels	
GAMPS6201	F	Anodic coating of aluminum alloys	
GAMPS9101	B1	Ultrasonic quality requirements for aluminum and aluminum alloys	
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			
<b>Lockheed Martin Process Specification Index</b>			
ZZZP00001	G	Finish Specification for JSF Weapons System	
ZZZP00003	G	Engineering Requirements for Machined Parts.	
ZZZP00005	B	Drill/Machine Composites and Composite/Metal Stacks	
ZZZP00006	G	Control of F-35 Air Vehicle Critical Parts, General Specification	
ZZZP00008	G	Marking Specification for JSF Aircraft and Support Equipment	
ZZZA00010	D	Interchangeable-Replaceable (I-R) Process Requirements	
ZZZA00010 APPENDIX A	A	F-35 Supplier I-R Manufacturing Plan Template	
ZZZP00017	F	Environmental and Pressure Sealing	
ZZZP00026	G	Application of Seals, Spacers and Gaskets	
ZZZP00055	A	Flight Science Critical Parts, General Specification for Control of	
LMA-ME027	E	Rubber, Fluorosilicone, Sheet Molded and Extruded	
LMA-MR003	G	Waterborne Epoxy Primer	
LMA-PB001	J	Bolt, Screw, and Nut Installation, General Requirements for	
LMA-PB004	J	Fastener Installation, Solid Rivets, Blind Rivets, and Blind Bolts	

Customer Process Specification Index

Specifications	Revision/ Edition	Title / Description	QPL & PSD
LMA-PB008	H	Eddie Bolt System, Installation of	
LMA-PB019	D	Fastener Sealing and Installation	
LMA-PB023	D	Installation of Bearings, Staked and Swaged	
LMA-PB033	F	Installing, Sealing, and Coating of Bearings and Bushings Chilled to Sub-Zero Temperatures	
LMA-PB045	B	Fastener installation, captive screws, flared end type	
LMA-PC003	C	Acceptance Requirements for Metal Parts	
LMA-PC009	M	Hardness and Conductivity Testing, Nondestructive Methods	
LMA-PC201	G	Requirements for Fluorescent Penetrant Inspection of Metallic Parts and Materials	
LMA-PG001	C	Requirements for Etch/Cleaning Prior to Penetrant Inspection	
LMA-PG006	B	Cleaning of Air Vehicle Plumbing Lines	
LMA-PH090	B	Thin Film Sulfuric Acid Anodize Treatment for Aluminum and Aluminum Alloys	
LMA-PK004	M	Installation Procedure for Bonded Nutplates	
LMA-PK012	G	Bonding with General Purpose Adhesives	
LMA-PK013	E	Bonding with Silicone Adhesives	
LMA-PL011	H	Fastener Holes in Composite and Metal Structure, Preparation for and Inspection of	
LMA-PN007	A	Part Bar Code Marking	
MIL-DTL-5541	F	Chemical Conversion Coatings on Aluminum and Aluminum Alloys	
MIL-F-18264 (S/S BY MIL-DTL-18264)	E	Finishes; Organic, Weapons System, Application and Control	
LMA-PJ013	F	Touchup Requirements for Chemical and Organic Finishes	
MIL-PRF-85285	E	Coating: Polyurethane, Aircraft and Support Equipment	
AMS-C-27725	D	Coating, Corrosion Preventative, for Aircraft Integral Fuel Tanks for Use to 250 °F (121 °C)	
LMA-PJ264	A	Application and Control of Organic Finishes	
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			
<b>Northrop Grumman Process Specification Index</b>			
AMS 2700	F	Passivation of Corrosion Resistant Steels	
AMS 2759	F	Heat Treatment, Precipitation-Hardening Corrosion-Resistant and Maraging Steel Parts	
AMS 2468 (SAE AMS2469)	J	Hard Anodic Coating Treatment of Aluminum Alloys	
AMS 2469	J	Hard Anodic Coating Treatments of Aluminum Alloys (S/S AMS2468)	
AMS 5842	G	(Nb) - 2.9Ti - 0.20Al - 9.0Fe, Vacuum Induction Plus Vacuum Consumable Electrode Melted	
AMS-QQ-P-35 (S/S BY SAE AMS2700)	F	Passivation of Corrosion Resistant Steels (Replaced by AMS 2700)	
ASTM-E-1417 (S/S BY ASTM E1417/E1417M)	2016 EDITION	Standard practice for liquid penetrant testing	
ASTM-E-1444 (S/S BY: ASTM E1444/E1444M)	2016 EDITION	Standard Practice for Magnetic Particle Testing	
MIL-A-8625	F	Anodic Coatings for Aluminum and Aluminum Alloys	
MIL-L-46010 (S/S BY: MIL-PRF-46010)	H	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting	
MIL-STD-1949 (S/S BY: ASTM E1444 AND S/S BY: ASTM E1444/E1444M)	2016 EDITION	Standard Practice for Magnetic Particle Testing	
AMS-H-6875	B	Heat Treatment of Steel Raw Materials	
GSS7021	G	Acid cleaning and passivation of ferrous alloys	
GSS4310	K1	Coating, primer, epoxy, application of	
GSS4510	H	Coating, polyurethane, application of	
NGT23K	B	Test, non-destructive, magnetic particle method of inspection	
GP17G	P-T	PROCEDURE, ETCHING, PRIOR TO PENETRANT INSPECTION	
GSS5310	E	PEENING OF FERROUS AND NON-FERROUS ALLOYS	
GSS7012	C	PREPARATION OF SURFACES BY ABRASIVE METHODS	
If a process specification is not listed above contact MTM's QA Dept or Engineering for addition.			